Bear Brand *hand knit* Cardigans

NO. 2036

VOL. 336 40¢

Bear Brand *hand knit* Cardigans

First Leaf Verso

NO. 2036

VOL. 336 40¢

..Palm Springs..

(Shown on Cover)

No. 2086 — Sizes	34	38	42
MATERIALS—Bear Brand or Bucilla Casa-Laine Sport Yarn	7 balls	8 balls	9 balls
Bear Brand or Bucilla Sweater and Stocking Yarn	7 skeins	8 skeins	9 skeins
Bucilla Plastic Knitting Needles, 1 pair Size 4.			
Bucilla Plastic Crochet Hook, Size 2.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	37 ins.	41 ins.	45 ins.
Width of back at underarm	18 ins.	19 ins.	20½ ins.

GAUGE: 7 sts = 1 inch 9 rows = 1 inch. Check, see page 46.

PATTERN—Multiple of 10 plus 1 st. Make sample on 31 sts.
P 1 row, k 1 row for 5 rows.
Row 6—right side—K 1, * p 5, k 5; repeat from * to end.
Row 7—P 4, * k 5, p 5; repeat from *, end k 5, p 2.
Row 8—K 3, * p 5, k 5; repeat from *, end p 5, k 3.
Row 9—P 2, * k 5, p 5; repeat from *, end k 5, p 4.
Row 10—* K 5, p 5; repeat from *, end k 1.
P 1 row, k 1 row for 5 rows.
Row 16—Same as row 10. **Row 17**—Same as row 9.
Row 18—Same as row 8. **Row 19**—Same as row 7.
Row 20—Same as row 6. Repeat these 20 rows for pat.

BACK—Cast on	121 sts	131 sts	141 sts
Work pat. for 20 rows. Continuing pat., dec. 1 st each side of next row; repeat decs. every 1 in.	4 times	———	———
every ¾ in.	———	6 times	6 times
Work even on	111 sts	117 sts	127 sts
until 7½ ins. from beg. Inc. 1 st each side of next row; repeat incs. every ¾ in. 7 times. Work even on	127 sts	133 sts	143 sts
until 16 ins. from beg.			
Armholes—Bind off at beg. of next 2 rows for underarm	7 sts	8 sts	9 sts
Dec. 1 st each side every 2nd row	9 times	9 times	10 times
Work even on	95 sts	99 sts	105 sts
until armhole measures, straight up from underarm	7½ ins.	8 ins.	8½ ins.
Shoulders—Bind off 7 sts at beg. of next	2 rows	6 rows	10 rows
Bind off 6 sts at beg. of next	8 rows	4 rows	———
Bind off remaining	33 sts	33 sts	35 sts

POCKET LININGS—Cast on 37 sts. Work stockinette st (p 1 row, k 1 row) for 5¾ ins., end with p row, place on holder. Make 2.

LEFT FRONT——Cast on	69 sts	79 sts	89 sts
Pattern—**Row 1**—K 8 sts for front border, p to end (underarm edge).			
Row 2—K. Repeat rows 1 and 2 once; repeat row 1 again.			
Row 6—K 1, * p 5, k 5; repeat from * to border, k 8 sts of border. Continue pat. as on back shaping underarm edge as on back until about 5¾ ins. from beg., end with pat. row 11 at underarm edge	65 sts	74 sts	84 sts
Pocket Opening—Work	5 sts	9 sts	14 sts
bind off 37 sts for opening, work to end.			
Next row—Work	23 sts	28 sts	33 sts
take up and work 37 pocket sts having wrong side of pocket toward you, work next	5 sts	9 sts	14 sts

(Continued on Page 36)

••Stroller••

No. 2083

Sizes 14, 16 and 18

Instructions are for size 14, changes for sizes 16 and 18 are in parentheses.

MATERIALS—Bear Brand or Bucilla Petite Knitting Worsted, 5 (6-7) skeins.
Bucilla Plastic Knitting Needles, 1 pair each Sizes 3 and 5.
Bucilla Plastic Crochet Hook, Size 2.

MEASUREMENTS OF GARMENT—At bustline (buttoned) 35 (37-39) ins.
Width of back at underarm 16¾ (17¾-18¾) ins.

GAUGE:
Stockinette st—6 sts = 1 inch 8 rows = 1 inch
Cable Pattern—15 sts = 2 inches 8 rows = 1 inch
Check, see page 46.

BACK—With size 3 needles, cast on 102 (109-116) sts. Work k 1, p 1 ribbing for 10 rows. With size 5 needles, begin pat.

Row 1—right side—K 7 (8-9), p 2, k 4 (5-6), p 2, * k 12, p 2, k 4 (5-6), p 2; repeat from * 3 times, k 7 (8-9).

Row 2—P 7 (8-9), k 2, p 4 (5-6), k 2, * p 12, k 2, p 4 (5-6), k 2; repeat from * 3 times, p 7 (8-9).

Row 3—Same as row 1.

Row 4—inc. row—P 7 (8-9), * k 2, p 4 (5-6), k 2, p 1, inc. 1 st in each of next 3 sts, p 8; repeat from * 3 times, k 2, p 4 (5-6), k 2, p 7 (8-9); 114 (121-128) sts.

Row 5—Cable twist row—right side—K 7 (8-9), * p 2, k 4 (5-6), p 2, slip next 5 sts to crochet hook, hold at back, k next 5 sts, bring hook forward and hold at front, k next 5 sts, then k 5 sts from hook (cable twist); repeat from * 3 times, p 2, k 4 (5-6), p 2, k 7 (8-9).

Row 6—P 7 (8-9), * k 2, p 4 (5-6), k 2, p 15; repeat from *, end last repeat p 7 (8-9).

Row 7—K 7 (8-9), * p 2, k 4 (5-6), p 2, k 15; repeat from *, end last repeat k 7 (8-9).

Repeat rows 6 and 7, 6 times; repeat row 7 again. Repeat last 16 rows for pat.

Dec. 1 st each side of next row, repeat decs. every 16th row twice; 108 (115-122) sts. Work until 7¾ ins. above ribbing, end with 9 rows above 4th twist row.

Waistline dec. row—K 4 (5-6), * p 2 tog., k 4 (5-6), p 2 tog., k 15; repeat from *, end last repeat k 4 (5-6); 98 (105-112) sts. Continue pat. with 1 st in each p rib for 12 rows.

Waistline inc. row—wrong side—P 4 (5-6), * inc. 1 st in next st, p 4 (5-6), inc. 1 st in next st, p 15; repeat from *, end last repeat p 4 (5-6); 108 (115-122) sts. Working cable pat., inc. 1 st each side every 6th row 6 times, working increased sts in stockinette st; 120 (127-134) sts. Work even until 16½ ins. above ribbing, end with twist row.

Armholes—Bind off 6 sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 6 (7-8) times; 96 (101-106) sts. Work even until armhole measures 6¾ (7-7¼) ins., straight up from underarm, end on right side, with 6 (8-10) rows above a twist row.

Shoulders—Bind off 7 (10-13) sts at beg. of next 2 rows; 5 sts at beg. of next 10 rows; 32 (31-30) sts.

Neck dec. row—wrong side—P 2 tog. (p 2 tog.—p 1), work 13, p 2 tog. (p 1—p 2 tog.), work 13, p 2 tog. (p 2 tog.—p 1); 29 sts. Slip these 29 sts on holder for neck ribbing. Break yarn.

RIGHT FRONT—With size 3 needles, cast on 62 (66-70) sts. Work p 1, k 1 ribbing until 10 rows from beg., end at front edge, completing ribbing.

Row 1—right side—With size 3 needle, work 9 sts in ribbing for front border; with size 5 needle, * k 4 (5-6), p 2, k 12, p 2; repeat from * once, k 4 (5-6), p 2, k 7 (8-9).

Row 2—With size 5 needle, p 7 (8-9), * k 2, p 4 (5-6), k 2, p 12; repeat from * once, k 2, p 4 (5-6); with size 3 needle work 9 sts in ribbing. Continue to work border on size 3 needles in this way up to neck.

Row 3—First buttonhole row—Work 3 sts, bind off 4 sts, work to end.

Row 4—inc. row—P 7 (8-9), * k 2, p 4 (5-6), k 2, p 1, inc. 1 st in each of next 3 sts, p 8; repeat from * once, k 2, p 4 (5-6), work next 2 sts in ribbing, cast on 4 sts over buttonhole, work 3 sts; 68 (72-76) sts.

Row 5—Cable twist row—Work 9 sts, * k 4 (5-6), p 2, work twist on next 15 sts, p 2; repeat from * once, k 4 (5-6), p 2, k 7 (8-9). Continue pat. and border, shaping underarm edge as on back and repeating buttonhole every 2¾ ins., until same length as back up to waistline dec. row. Dec. 1 st in each p rib in next row, as on back; 60 (64-68) sts. Work 12 rows even, working 4th buttonhole in a twist row.

Waistline inc. row—wrong side—Inc. 1 st in each of the 5 p ribs as on back; 65 (69-73) sts. Continue buttonholes, shaping underarm and armhole as on back. Work even until armhole measures 5 ins., end at front edge with 9th row above a cable twist row. There will be 71 (75-79) sts below underarm and 59 (62-65) sts after shaping armhole.

(Continued on Page 41)



..Aristocrat..

No. 2093 Sizes		34	36	38	40	42	44
MATERIALS—Bear Brand or Bucilla Caprice	skeins	14	15	16	17	18	19
Bucilla Featherlite Aluminum Knitting Needles, 1 pair Size 2.							
Steel Crochet Hook, Size 3; or							
Bear Brand or Bucilla Ladylaine	balls	10	11	12	12	13	13
Bucilla Plastic Knitting Needles, 1 pair Size 3.							
Steel Crochet Hook, Size 3.							
MEASUREMENTS OF GARMENT—At bustline (buttoned)	ins.	37	39	41	43	45	47
Width of back at underarm	ins.	17	18	19	20	21	22
GAUGE: 15 sts = 2 inches. Check, see page 46.							
BACK—Cast on	sts	123	131	138	146	154	162
Work garter st (k every row) for 1¼ ins. Work stockinette st (p 1 row, k 1 row) until 4 ins. from beg., end with p row. Begin darts and decs.							
First dec. row—K 2 tog., k	sts	28	30	33	35	38	40
slip, k and pass, k 1 (mark for seam st), k 2 tog., k	sts	53	57	58	62	64	68
slip, k and pass, k 1 (mark for seam st), k 2 tog., k	sts	28	30	33	35	38	40
k 2 tog. Continue to dec. 6 sts every 1½ ins. as in first dec. row, 3 times more, decreasing 1 st at each edge and 1 st each side of the 2 seam sts each time. Work even for 1½ ins. on (end with p row)	sts	99	107	114	122	130	138
First inc. row—Inc. 1 st in first st, k	sts	22	24	27	29	32	34
inc. 1 st in next st, inc. 1 st in seam st, k	sts	48	52	53	57	59	63
inc. 1 st in next st, inc. 1 st in seam st, k	sts	23	25	28	30	33	35
inc. 1 st in last st. Continue to inc. 1 st at each side every ¾ in., 5 times more, increasing 2 sts in each dart every 1¼ ins., 3 times more, by increasing 1 st in st preceding seam st and 1 st in seam st. Work even until 16¾ ins. from beg. or desired length to underarm.	sts	127	135	142	150	158	166
Armholes—Bind off at beg. of next 2 rows for underarm	sts	7	8	9	10	11	12
Dec. 1 st each side every row	times	2	3	4	5	6	7
every 2nd row 4 times. Work even on	sts	101	105	108	112	116	120
until armhole measures (straight up from underarm)	ins.	7¼	7½	7¾	8	8¼	8½
Shoulders—Bind off at beg. of next 2 rows	sts	3	5	6	8	9	11
Bind off 6 sts at beg. of next 10 rows. Bind off remaining	sts	35	35	36	36	38	38
LEFT FRONT—Cast on	sts	77	81	84	88	91	95
Work garter st for 1¼ ins., end on right side at front edge. **Row 1**—K 9 sts for border, p to end. **Row 2**—K. Repeat these 2 rows until 4 ins. from beg., end at underarm edge. Border is continued up to shoulder. Begin dart and underarm shaping.							
First dec. row—K 2 tog., k	sts	30	32	34	36	38	40
slip, k and pass, k 1 (mark for seam st), k 2 tog., k to end. Complete dart and underarm shaping as on back. Work even until 13¾ ins. from beg. (end at front edge) on	sts	79	83	86	90	93	97
at waistline there will be	sts	65	69	72	76	79	83
Begin short rows for underarm dart. **Row 1**—Work to within 4 sts of end of last row. **Row 2**—Turn, slip first st, work to front edge. Repeat these 2 rows 4 times more. **Next row**—Work all sts. Work even until underarm edge is same length as back to armhole, end at underarm edge. Front edge should measure 1 in. more than at underarm edge.							

(Continued on Page 42)



..Seasider..

No. 2095 Sizes	14	16	18
MATERIALS—Bucilla 3-ply Angora	19 balls	20 balls	22 balls
Bucilla Plastic Knitting Needles, 1 pair each Sizes 3 and 6.			
Bucilla Plastic Crochet Hook, Size 4.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	34 ins.	36 ins.	38 ins.
Width of back at underarm	16 ins.	17 ins.	18 ins.
GAUGE: Size 6 Needles—11 sts = 2 inches 15 rows = 2 inches. Check, see page 46.			
BACK—With size 3 needles, cast on	74 sts	78 sts	82 sts
Work k 2, p 2 ribbing for 4 ins. With size 6 needles, working stockinette st (p 1 row, k 1 row) inc. 1 st each side every ¾ in.	7 times	8 times	9 times
Work even until 8½ ins. above ribbing on	88 sts	94 sts	100 sts
Armholes—Bind off at beg. of next 2 rows for underarm	5 sts	5 sts	6 sts
Dec. 1 st each side every 2nd row	5 times	6 times	7 times
Work even on	68 sts	72 sts	74 sts
until armhole measures, straight up from underarm	6¾ ins.	7 ins.	7¼ ins.
Shoulders—Bind off at beg. of next 2 rows	3 sts	4 sts	5 sts
Bind off 5 sts at beg. of next 8 rows. Slip on holder remaining	22 sts	24 sts	24 sts
LEFT FRONT—With size 3 needles, cast on	38 sts	42 sts	46 sts
Work ribbing as on back, end at front edge.			
With size 6 needles, working stockinette st, inc. 1 st at beg. of k row every ¾ in.	9 times	8 times	8 times
Work until same length as back to armhole, end at underarm edge	47 sts	50 sts	54 sts
Shape armhole as on back	37 sts	39 sts	41 sts
Work even until armhole measures 5 ins., end at front edge.			
Neck and Shoulder Shaping—P 7 sts, slip on holder, finish row. Dec. 1 st at neck edge every row 4 times; every 2nd row	3 times	4 times	5 times
shaping shoulder as on back when armhole is same length.			
RIGHT FRONT—With size 3 needles, cast on	38 sts	42 sts	46 sts
Work to correspond to left front, shaping at opposite sides. Sew shoulder seams.			
NECK RIBBING—From right side, beg. at right front edge, with size 3 needles, take up and k 7 sts from holder, pick up and k on right edge	15 sts	16 sts	18 sts
take up and k back neck sts, finish other side to correspond	66 sts	70 sts	74 sts
Work k 2, p 2 ribbing for 1 in. Bind off in ribbing.			
SLEEVES—With size 3 needles, cast on	56 sts	58 sts	60 sts
Work k 2, p 2 ribbing for 1 in. With size 6 needles, working stockinette st, inc. 1 st each side every ½ in.	5 times	5 times	6 times
Work even until 4 ins. above ribbing on	66 sts	68 sts	72 sts
Bind off at beg. of next 2 rows	5 sts	5 sts	6 sts
Dec. 1 st each side every 2nd row	6 times	7 times	8 times
every 4th row 3 times; every 2nd row 3 times. Bind off 2 sts at beg. of next 8 rows. Bind off remaining 16 sts.			

FINISHING—Block and finish, see page 47. Beg. at lower right front corner, work sc on right front edge, keeping work flat.

Row 2—Ch 1, turn, 1 sc in each sc.

Row 3—Ch 1, turn, 1 sc in each of 2 sc, * ch 2, skip 2 sts for buttonhole, continue sc, making 6 more buttonholes evenly spaced, with last buttonhole 2 sc from neck edge. Work 2 more rows sc. Fasten off. Work 6 rows sc on left front edge, omitting buttonholes. Work 1 row sc on neck and lower edge of each front border.

..Weekender..

No. 2088 — Sizes	34	36	38
MATERIALS—Bear Brand or Bucilla Casa-Laine Sport Yarn	8 balls	9 balls	9 balls
Bear Brand or Bucilla Sweater and Stocking Yarn	8 skeins	9 skeins	9 skeins
Bucilla Plastic Crochet Hook, Size 1.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	36½ ins.	38½ ins.	41½ ins.
Width of back at underarm	17¾ ins.	18½ ins.	20 ins.

GAUGE: 7 sts = 1 inch 9 rows = 1 inch. Check, see page 46.

BACK—Ch 100 for right underarm seam.
Row 1—Skip first 2 sts from hook, 1 hdc in each of 91 sts, 1 sc in each of next 7 sts; 98 sts. Throughout sweater, work first and last st of each row through both loops, all other sts through back loop only.
Row 2—Ch 1, turn, 1 sc in each sc, 1 hdc in each hdc.
Row 3—Ch 2, turn, 1 hdc in each hdc, 1 sc in each sc. Repeat row 2 once.

Repeat rows 3 and 2	——	——	once
having for underarm	4 rows	4 rows	6 rows

Mark end of row for end of underarm edge.

Armhole—Ch 3, turn, inc. 1 st by working 1 hdc in 3rd st from hook, finish row. Ch 1, turn, working pat., inc. 1 st at end of row by working 2 hdc in last st. Repeat last 2 rows twice; 104 sts. Ch for armhole edge	48	50	52
Shoulder Shaping—Turn, skip first 2 sts from hook, work on ch	46 hdc	48 hdc	50 hdc
finish row	150 sts	152 sts	154 sts
Work 1 row even. Inc. 1 st at beg. of next row.			
Repeat inc. every 2nd row twice; every 4th row 3 times. Work even	1 row	3 rows	3 rows
Mark last st for end of right shoulder	20 rows	22 rows	22 rows
for shoulder. Work even	20 rows	22 rows	22 rows
Mark last st for beg. of left shoulder. Work even	1 row	3 rows	3 rows
Work to within 2 sts of end of next row, yo, draw up a loop in each of next 2 sts, yo, through all 4 loops—a dec. Repeat dec. every 4th row 3 times; every 2nd row twice. Work 2 rows even. Break yarn.			
Left Armhole—Turn, skip	46 sts	48 sts	50 sts
from shoulder; with loop on hook, yo, draw up a loop in each of next 2 sts, yo, through all 4 loops—a dec. Repeat dec. at armhole every row 5 times; 98 sts. Work even	4 rows	4 rows	6 rows
Break off.			

LEFT FRONT—Beg. at left underarm edge, work as for back to last row of

first shoulder	156 sts	158 sts	160 sts
end at shoulder	30 rows	32 rows	34 rows
Neck Shaping—Row 1—Ch 1, turn, slip st in each of next	3 sts	4 sts	2 sts
1 sc in next st, 1 hdc in next st, finish row.			
Row 2—Ch 1, turn, work to within	6 hdc	7 hdc	5 hdc
of end, 1 sc in next st, 1 slip st in next st	148 sts	148 sts	154 sts
Row 3—Ch 1, turn, skip slip st, 1 slip st in each of next	2 sts	2 sts	1 st
1 sc in next st, 1 hdc in next st, finish row.			
Row 4—Ch 1, turn, work to within	6 hdc	6 hdc	5 hdc
of end, 1 sc in next st, 1 slip st in next st	140 sts	140 sts	148 sts
Row 5—Ch 1, turn, skip slip st, 1 slip st in each of next 2 sts, 1 sc in next st, 1 hdc in next st, finish row. **Row 6**—Ch 1, turn, work to within 6 hdc of end, 1 sc in next st, 1 slip st in next st. Repeat last 2 rows	twice	twice	3 times
Final row—Ch 1, turn, 1 sc in first st, 1 hdc in next st, finish row; 116 sts.			
Break off.			

(Continued on Page 37)

..Holiday..

No. 2092 — Sizes	14	16	18
MATERIALS—Bear Brand or Bucilla Heather-Laine *Wonderized*	10 balls	11 balls	12 balls
Bear Brand or Bucilla De Luxe Sock and Sport Yarn *Wonderized*	9 skeins	10 skeins	11 skeins
Bear Brand or Bucilla Lainegora	15 balls	17 balls	18 balls
Bucilla Plastic Knitting Needles, 1 pair each Sizes 2 and 3.			
Bucilla Plastic Crochet Hook, Size 2.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	35 ins.	37 ins.	39 ins.
Width of back at underarm	15¾ ins.	17½ ins.	17½ ins.

GAUGE: Size 3 Needles—17 sts = 2 inches 12 rows = 1 inch. Check, see page 46.

PATTERN—Multiple of 8 plus 6 sts. Make sample on 30 sts.
Row 1—right side—K.
Row 2—P 6, * k 2, p 6; repeat from * to end.
Row 3—K.
Row 4—Same as row 2. Repeat last 2 rows 3 times.
Row 11—K 5, * k next st wrapping yarn twice around needle, k 2, k next st wrapping yarn twice around needle, k 4; repeat from *, end last repeat k 5.
Row 12—K 5, * bring yarn to front of work, slip 1 st as to p (dropping the extra over), bring yarn to back of work, k 2, bring yarn to front, slip 1 st as before, bring yarn to back, k 4; repeat from *, end last repeat k 5.
Row 13—K 5 ,* slip 1 as to p, k 2, slip 1 as to p, k 4; repeat from *, end last repeat k 5.
Row 14—Same as row 12 (without dropping extra over).
Row 15—Twist row—K 5, * slip next (long) st to crochet hook, hold in front of work, inserting needle in front thread of 3rd st on left hand needle (long st), k this st, do not drop from left needle; k first, then 2nd st, drop the long st already knitted, k long st from hook, k 4; repeat from *, end last repeat k 5.
Row 16—Same as row 2. Repeat last 14 rows, from row 3 to row 16 inclusive, for pat.

BACK—With size 2 needles, cast on	134 sts	150 sts	150 sts
Work k 1, p 1 ribbing for 12 rows. Change to size 3 needles, work pat. until about 15 ins. above ribbing, end with a twist row.			
Armholes—Bind off at beg. of next 2 rows for underarm	4 sts	10 sts	7 sts
Dec. 1 st each side every 2nd row	8 times	9 times	10 times
Keeping pat., work even on	110 sts	112 sts	116 sts
until armhole measures, straight up from underarm	7 ins.	7¼ ins.	7½ ins.
Shoulders—Bind off at beg. of next 2 rows	8 sts	9 sts	11 sts
Bind off 7 sts at beg. of next 8 rows. Bind off remaining 38 sts.			

POCKET LININGS—With size 3 needles, cast on 38 sts. K 1 row, p 1 row for 4½ ins. Break yarn, slip sts to holder. Make 2.

LEFT FRONT—With size 2 needles, cast on	90 sts	90 sts	98 sts
Work p 1, k 1 ribbing for 12 rows. **Next row**—right side—With size 3 needle, work pat. to within 12 sts of end; with size 2 needle continue ribbing on last 12 sts for front band. On next row, with size 2 needle, work 12 border sts in ribbing; with size 3 needle, finish row in pat. Continue pat. with size 3 needles and border with size 2 needles. Work until 4½ ins. above ribbing, end with 8th row above last twist row.			
Pocket—**Next row**—wrong side—Work 12 border sts, work pat. for 24 sts, slip next 38 sts to holder for pocket border; with purled side of pocket lining toward you, continue pat. on the 38 sts of lining, finish row. Work pat. until same length as back to armhole, end at underarm edge.			
Armhole—Bind off at beg. of next row for underarm	12 sts	10 sts	15 sts
Shape armhole as on back. Work even on	70 sts	71 sts	73 sts
until armhole measures 6 ins., end at front edge.			

(Continued on Page 38)

..Shipboard..

No. 2081
Sizes 16 and 18

Instructions are for size 16, changes for size 18 are in parentheses.

MATERIALS—Bear Brand or Bucilla Petite Knitting Worsted, 5 (6) skeins.
Bucilla Plastic Knitting Needles, 1 pair each Sizes 3 and 5.
Bucilla Plastic Crochet Hook, Size 1.

MEASUREMENTS OF GARMENT—At bustline, buttoned, 37 (39) ins.
Width of back at underarm 17 (18½) ins.

GAUGE: Blocked—15 sts = 2 inches.
17 rows = 2 inches. Check, see page 46.

PATTERN—Multiple of 11 plus 7 (15) sts. Make sample on 40 (48) sts.
Row 1—right side—P 3 (7), k 1, p 2, * k 6, p 2, k 1, p 2; repeat from *, end last repeat p 3 (7).
Row 2—K 6 (10), * p 6, k 5; repeat from *, end p 6, k 6 (10). Repeat these 2 rows twice.
Row 7—P 3 (7), k 1, p 2, * slip next 3 sts to crochet hook, hold in front of work, k next 3 sts, k 3 sts from hook—a cable twist—, p 2, k 1, p 2, k 6, p 2, k 1, p 2; repeat from *, end twist cable, p 2, k 1, p 3 (7).
Row 8—Same as row 2. Repeat rows 1 and 2, twice.
Row 13—P 3 (7), k 1, p 2, * k 6, p 2, k 1, p 2, twist cable on next 6 sts, p 2, k 1, p 2; repeat from *, end k 6, p 2, k 1, p 3 (7).
Row 14—Same as row 2. Repeat rows 1 and 2 twice. Repeat last 12 rows for pat.

BACK—With size 5 needles, cast on 116 (124) sts. **Row 1**—wrong side—K 1, * p 2, k 2; repeat from *, end p 2, k 1. **Row 2**—P 1, * k 2, p 2; repeat from *, end k 2, p 1. Repeat these 2 rows of ribbing for 1 in., end on right side. Work 1 more row of ribbing, increasing 1 st in the 3rd (7th) st, then in every 10th st 11 times, finish row; 128 (136) sts. Work pat., decreasing 1 st each side every 2 ins. 3 times; 122 (130) sts. Work even until 8 ins. above ribbing. Inc. 1 st each side of next row; repeat incs. every 2 ins. 3 times more; 130 (138) sts. Work even until 15 ins. above ribbing.
Armholes—Bind off 8 (9) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 7 (8) times; 100 (104) sts. Work even until armhole measures 7½ (7¾) ins., straight up from underarm.
Shoulders—Bind off 9 (11) sts at beg. of next 2 rows; 8 sts at beg. of next 6 rows. Bind off remaining 34 sts.

LEFT FRONT—With size 5 needles, cast on 64 (68) sts. Work ribbing as on back, end on right side. Work 1 more row of ribbing, increasing 1 st in 11th st, then in every 10th st 5 times, finish row; 70 (74) sts.
Pattern—Row 1—Begin as for pat. row 1, end at front edge with k 6, p 3.
Row 2—K 3, p 6, k 5, finish as for pat. row 2. Continue pat., shaping underarm edge as on back, keeping front edge even until same length as back to armhole; 71 (75) sts. Shape armhole as on back; 56 (58) sts, end at front edge.
Neck Shaping—Dec. 1 st at front edge on next row; repeat dec. at front edge every 2nd row 22 times, shaping shoulder as on back when armhole is same length.

RIGHT FRONT—With size 5 needles, cast on 64 (68) sts. Work ribbing as on left front, end on right side. Work 1 more row of ribbing, increasing 1 st in 3rd (7th) st, then in every 10th st 5 times, finish row; 70 (74) sts.
Pattern—Row 1—P 3, k 6, p 2, k 1, p 2, finish same as pat. row 1. Continue pat., working first cable twist row as for pat. row 13. Finish to correspond to left front, shaping at opposite sides. Sew shoulder seams.

SLEEVES—With size 3 needles, cast on loosely 52 sts. Work k 2, p 2 ribbing for 3 ins. Work 1 more row of ribbing, increasing 1 st in the 6th st, then in every 10th st 4 times; 57 sts. Change to size 5 needles.
Pattern—Row 1—K 4, * p 2, k 1, p 2, k 6; repeat from *, end last repeat k 4.
Row 2—P 4, * k 5, p 6; repeat from *, end k 5, p 4. Continue pat., increasing 1 st each side every ¾ in. 16 (12) times; every ½ in. 4 (10) times, carrying out pat. on added sts; 97 (101) sts. Work even until 15 ins. above ribbing, end with same pat. row as on back at underarm. Bind off 8 (9) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 10 (11) times; every 4th row 4 times; every 2nd row 3 times. Bind off 3 sts at beg. of next 6 rows. Bind off remaining 29 sts.

BUTTONHOLE BAND—From right side, work 1 row sc around front and neck edges, keeping edges flat.
Row 2—Ch 1, turn, 1 sc in front loop of each sc.
Row 3—Ch 1, turn, 1 sc in back loop of each sc.
Buttonhole row—Ch 1, turn, 1 sc in front loop of each sc to first dec. on right front for neck shaping, ch 3, skip 3 sts, 1 sc in front loop of next st; repeat buttonhole every 3 ins. including previous buttonhole, 5 times, finish row.
Rows 5, 6 and 7—Same as rows 3, 2 and 3. Fasten off. Work 1 row sc from right side on lower edges of band.

FINISHING—Block and finish, see page 47.

..Fun in the Sun..

No. 2090
Sizes 14 and 16

Instructions are for size 14, changes for size 16 are in parentheses.

MATERIALS—Bear Brand or Bucilla Afghan Germantown, 7 (8) skeins; or
Bear Brand or Bucilla Petite Knitting Worsted, 5 (6) skeins.
A few yards each of 8 colors for Embroidery.
Bucilla Plastic Knitting Needles, 1 pair each Sizes 2 and 3.
Bucilla Plastic Crochet Hook, Size 1.

MEASUREMENTS OF GARMENT—After blocking —At bustline, buttoned, 34½ (36½) ins.
Width of back at underarm 16 (17) ins.

GAUGE: Pattern St—After blocking—
8 sts = 1 inch. Check, see page 46.

BACK—With size 2 needles, cast on 110 (118) sts. **Row 1**—right side—K 2, * p 2, k 2; repeat from * to end. **Row 2**—P 2, * k 2, p 2; repeat from * to end. Repeat these 2 rows of ribbing for 3 ins., end on wrong side.

Inc. row—Continuing ribbing, inc. 18 (19) sts spaced evenly across row; 128 (137) sts.

Pattern—Row 1—wrong side—With size 3 needles, p 2, k 4, * p 8, k 4 (5); repeat from *, end last repeat k 4, p 2.

Row 2—K 2, p 4, * slip 2 sts to crochet hook, hold in back of work, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold in front of work, k next 2 sts, k 2 sts from hook, p 4 (5); repeat from *, end last repeat p 4, k 2.

Row 3—P 2, k 4, * p 8, k 4 (5), p 1, work seed st as follows: k 1, p 1 for 6 sts; p 1, k 4 (5); repeat from *, end last repeat k 4, p 2.

Row 4—K 2, p 4, * k 1, work seed st as follows: p 1, k 1 for 6 sts; k 1, p 4 (5), k 8, p 4 (5); repeat from *, end last repeat p 4, k 2.

Repeat rows 3 and 4, 4 times; repeat row 3 again.

Row 14—Same as row 2.

Row 15—P 2, k 4, * p 1, work k 1, p 1 for 6 sts seed st; p 1, k 4 (5), p 8, k 4 (5); repeat from *, end last repeat k 4, p 2.

Row 16—K 2, p 4, * k 8, p 4 (5), k 1, work p 1, k 1 for 6 sts seed st; k 1, p 4 (5); repeat from *, end last repeat p 4, k 2.

Repeat rows 15 and 16, 4 times.

Row 25—Same as row 15.

Beg. with row 2, repeat last 24 rows for pat. Work even in pat. until 9 ins. above ribbing.

Armholes—Bind off 7 (8) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 7 (8) times; 100 (105) sts. Work even until armhole measures 7 (7¼) ins., straight up from underarm.

Shoulders—Bind off 5 (7) sts at beg. of next 2 rows; 7 sts at beg. of next 8 rows. Bind off remaining 34 (35) sts.

LEFT FRONT—With size 2 needles, cast on 58 (62) sts. Work ribbing as for back for 3 ins., end on wrong side. **Inc. row**—Continuing ribbing, inc. 10 sts spaced evenly across row; 68 (72) sts.

Pattern—Rows 1 and 2—With size 3 needles, work same as pat. rows 1 and 2 of back.

Row 3—wrong side—P 2, k 4, * p 1, work k 1, p 1 for 6 sts seed st; p 1, k 4 (5), p 8, k 4 (5); repeat from * once, p 1, work k 1, p 1 for 6 sts seed st; p 1, k 4, p 2.

Row 4—K 2, p 4, * k 1, work p 1, k 1 for 6 sts seed st; k 1, p 4 (5), k 8, p 4 (5); repeat from * once, k 1, work p 1, k 1 for 6 sts seed st; k 1, p 4, k 2.

Continue pat. until same length as back to armhole, end on wrong side.

Shape armhole as for back; 54 (56) sts. Work pat. even until 5½ (5¾) ins. above underarm, end at front edge.

Neck and Shoulder Shaping—Bind off 12 sts at beg. of next row. Dec. 1 st at neck edge every row 9 times. Shape shoulder as on back when armhole is same length.

RIGHT FRONT—With size 2 needles, cast on 58 (62) sts. Work ribbing and inc. row as for left front; 68 (72) sts.

Pattern—Rows 1 and 2—With size 3 needles, work same as pat. rows 1 and 2 of back.

Row 3—wrong side—P 2, k 4, * p 8, k 4 (5), p 1, work k 1, p 1 for 6 sts seed st, p 1, k 4 (5); repeat from * once, p 8, k 4, p 2.

Continue pat. until same length as back to armhole, end on right side.

Shape armhole, neck and shoulder to correspond to left front. Sew shoulder seams.

SLEEVES—With size 2 needles, cast on 52 sts. Work k 2, p 2 ribbing for 3 ins. **Inc. row**—Continuing ribbing, inc. 8 (12) sts spaced evenly across row; 60 (64) sts.

Pattern—Row 1—wrong side—P 10, * k 4 (5), p 8; repeat from * twice, k 4 (5), p 10.

Row 2—K 10, * p 4 (5), twist cable on next 8 sts as on row 2 of back; repeat from * twice, p 4 (5), k 10.

(Continued on Page 40)

..Briarcliff..

No. 2085 — Sizes	38	42	46
MATERIALS—Bear Brand or Bucilla Casa-Laine Sport Yarn	7 balls	8 balls	9 balls
Bear Brand or Bucilla Sweater and Stocking Yarn	7 skeins	8 skeins	9 skeins
Bucilla Plastic Knitting Needles, 1 pair each Sizes 2 and 4.			
Bucilla Plastic Crochet Hook, Size 1.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	41 ins.	45 ins.	49 ins.
Width of back at underarm	19 ins.	21½ ins.	23½ ins.

GAUGE: Size 4 Needles—7 sts = 1 inch 9 rows = 1 inch. Check, see page 46.

PATTERN—Multiple of 6. Make sample on 24 sts.
P 1 row, k 1 row, p 1 row.
Row 4—right side—K 2, * twist next 2 sts as follows: insert needle in first st as to p, keeping yarn in back of work; k next st, slipping it from needle through first st; k in back of first st and slip from needle, k 4 *; repeat between *'s, end last repeat k 2. P 1 row, k 1 row, p 1 row.
Row 8—K 5, repeat between *'s of row 4, end last repeat k 5. Repeat these 8 rows for pat.

BACK—With size 2 needles, cast on	132 sts	150 sts	162 sts
Work k 1, p 1 ribbing for 11 rows. With size 4 needles, working pat., dec. 1 st each side every 1½ ins. 3 times; every 1 in. twice	122 sts	140 sts	152 sts
Work even until 9 ins. from beg. Inc. 1 st each side of next row; repeat incs. every 1 in. 5 times more	134 sts	152 sts	164 sts
Work even until 16 ins. from beg.			
Armholes—Bind off at beg. of next 2 rows for underarm	7 sts	8 sts	10 sts
Bind off 2 sts at beg. of next	6 rows	10 rows	10 rows
Dec. 1 st each side every 2nd row	3 times	4 times	5 times
Work even on	102 sts	108 sts	114 sts
until armhole measures, straight up from underarm, about	5 ins.	5½ ins.	6 ins.
end with a twist row having 5 k sts at each side. P 1 row.			
Yoke—Row 1—right side—P 2, * twist 2 sts, p 1, k 2, p 1; repeat from *, end twist 2 sts, p 2.			
Rows 2, 4, 6 and 8—K 2, * p 2, k 1; repeat from *, end p 2, k 2.			
Row 3—P 2, * k 2, p 1; repeat from *, end k 2, p 2.			
Row 5—P 2, * k 2, p 1, twist 2 sts, p 1; repeat from *, end k 2, p 2.			
Row 7—Same as row 3. Repeat these 8 rows until armhole measures, straight up from underarm	7¾ ins.	8¼ ins.	8¾ ins.
Shoulders—Bind off at beg. of next 2 rows	7 sts	10 sts	12 sts
Bind off 9 sts at beg. of next 6 rows. Bind off remaining	34 sts	34 sts	36 sts
LEFT FRONT—With size 2 needles, cast on	80 sts	86 sts	92 sts
Work p 1, k 1 ribbing for 11 rows.			
Pattern—Row 1—wrong side—With size 2 needle, p 1, k 1 for 8 sts for front border, with size 4 needle, p	72 sts	78 sts	84 sts
Row 2—K to within 8 sts of end, with size 2 needle, p 1, k 1 to end. **Row 3**—Same as row 1. Continue pat. on size 4 needles and border ribbing on size 2 needles, shaping underarm edge as for back. Work even on	81 sts	87 sts	93 sts
until ½ in. longer than back to armhole, end at underarm edge. (Extra ½ in. to be held in over bustline.)			
Armhole and Neck Shaping—Bind off at beg. of next row for underarm	9 sts	10 sts	12 sts
Work 1 row even. **Next row**—right side—Bind off 2 sts at armhole edge, work to within 2 sts of border, k 2 tog., work border. Bind off 2 sts at armhole edge every 2nd row	3 times	4 times	4 times

(Continued on Page 36)

..Town'n Country..

No. 2096 — Sizes	Small	Medium	Large
MATERIALS—Bear Brand or Bucilla Afghan Germantown	4 skeins	4 skeins	5 skeins
Bear Brand or Bucilla Petite Knitting Worsted	3 skeins	3 skeins	4 skeins
Bucilla Plastic Crochet Hook, Size 4.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	34 ins.	36 ins.	40 ins.
Width of back at underarm	16 ins.	17 ins.	19 ins.

GAUGE: 7 Patterns = 4 inches. Check, see page 46.

PATTERN—Ch multiple of 3 plus 2. Make sample on 26 ch. Work 1 dc in 4th st from hook, 1 dc in each st to end.

Row 1—wrong side—Ch 3, turn, * skip 3 dc, 1 sc in space between 3rd and 4th dc, ch 2; repeat from *, end 1 sc in top of turning ch.

Row 2—Ch 3, turn (ch 3 always counts as 1 dc), 2 dc over first ch 2 loop, 3 dc over each loop to end. Repeat rows 1 and 2 for pat.

BACK—Ch	74 sts	80 sts	89 sts
Work pat., having	24 pats.	26 pats.	29 pats.
Work even, end with row 1 when about 2½ ins. from beg.			
First inc. row—right side—Ch 3, turn, 3 dc in first loop, work pat., end 4 dc in last loop.			
2nd inc. row—Ch 2, turn, skip 1 dc, 1 sc between first and 2nd dc, work pat., end ch 2, 1 sc between 3rd dc and turning ch, ch 1, 1 sc in top of turning ch.			
3rd inc. row—Ch 3, turn, 1 dc over ch 1, work pat., end 2 dc over turning ch.			
4th inc. row—Ch 2, turn, 1 sc between 2nd and 3rd dc, work pat., end ch 2, 1 sc in turning ch. Work dc row even, having	26 pats.	28 pats.	31 pats.
Work 5 rows even. Repeat the 4 inc. rows once	28 pats.	30 pats.	33 pats.
Work even until 10 ins. from beg., end with dc row.			
Armholes—Turn, slip st over	2 pats. (6 sts)	2 pats. (6 sts)	3 pats. (9 sts)
Ch 2, work to within	2 pats.	2 pats.	3 pats.
of end.			
First dec. row—Ch 3, turn, work pat., working 1 dc less in first and last loop.			
2nd dec. row—Ch 2, turn, work pat., end ch 1, 1 sc in turning ch.			
3rd dec. row—Ch 3, turn, skip first ch 1 loop, 3 dc in next loop, work pat., end 1 dc in last loop.			
4th dec. row—Ch 3, turn, 1 sc between 4th and 5th dc, work pat., end ch 2, skip 3 dc, 1 sc in turning ch, having	22 pats.	24 pats.	25 pats.
Work even until armhole measures, straight up from underarm (end with dc row)	7½ ins.	8 ins.	8½ ins.
Shoulders—**Row 1**—Turn, slip st over first	2 pats.	3 pats.	3 pats.
work pat. leaving off at end of row	2 pats.	3 pats.	3 pats.
Row 2—Turn, slip st over first 2 pats., ch 1, 1 sc and 1 hdc in next loop, work pat. to within 3 pats. of end of last row, 1 hdc, 1 sc, 1 slip st all in next loop.			
Row 3—Turn, slip st over first 2 pats., work to within 2 pats. of end.			
Row 4—Turn, slip st over first pat., ch 1, 1 sc and 1 hdc in next loop, work to within 2 pats. of end, 1 hdc, 1 sc, 1 slip st in next loop. Fasten off, leaving for back of neck	6 pats.	6 pats.	7 pats.
LEFT FRONT—Ch	41 sts	44 sts	50 sts
Work as for back on	13 pats.	14 pats.	16 pats.

(Continued on Page 39)

..Piping Rock..

No. 2089

Size 14 - 16

MATERIALS—Bear Brand or Bucilla Afghan Germantown, 6 skeins; or
Bear Brand or Bucilla Petite Knitting Worsted, 4 skeins.
Bucilla Plastic Knitting Needles, 1 pair each Sizes 2 and 6.
Bucilla Plastic Crochet Hook, Size 3.

MEASUREMENTS OF GARMENT—At bustline (buttoned) 38 ins. Width of back at underarm 18 ins.

GAUGE: Cable st—6 sts = 1 inch.
Stockinette st—11 sts= 2 inches.
Check, see page 46.

BACK—With size 6 needles, cast on 90 sts.

Cable Pattern—Row 1—wrong side—P 4, k 5, * p 6, k 5; repeat from *, end p 4.
Row 2—K 4, p 5, * k 6, p 5; repeat from *, end k 4.
Repeat these 2 rows once; repeat row 1 again.
Row 6—First cable twist—K 4, p 5, * slip next 3 sts to crochet hook, hold at back, k next 3 sts, k 3 sts from hook (cable twist), p 5; repeat from *, end k 4.
Repeat first 5 rows once.
Row 12—2nd cable twist—K 4, p 5, twist cable on next 6 sts, p 5, * k 6, p 5, twist cable on 6 sts, p 5; repeat from *, end k 4.
Repeat first 11 rows once.
Row 24—alternate twist—K 4, p 5, k 6, p 5, * twist cable on 6 sts, p 5, k 6, p 5; repeat from *, end k 4.
Repeat these 24 rows for pat. Work even until 6¼ ins. from beg., end on right side.
Waistband Dec. row—P 4, k 1, k 2 tog., k 2, * p 6, k 1, k 2 tog., k 2; repeat from *, end p 4; 82 sts; 1 st decreased at center of each of the 8 p ribs between cables. Work 15 rows even with *4 sts* in each rib between cables.
Waistband Inc. row—P 4, k 1, inc. 1 st in next st, k 2, * p 6, k 1, inc. 1 st in next st, k 2; repeat from *, end p 4; 90 sts. Working pat. as before, inc. 1 st each side every 1 in. 5 times, working increased sts in stockinette st; 100 sts. Work even until 15 ins. from beg., end with a cable twist row.
Armholes—Bind off 6 sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 5 times. Work even on 78 sts until armhole measures 7 ins., straight up from underarm, end with pat. row 22.
Shoulders—Bind off 5 sts at beg. of next 10 rows. Bind off 28 sts.

RIGHT FRONT—With size 6 needles, cast on 51 sts.

Pattern—Row 1—wrong side—P 4, * k 5, p 6 (cable rib); repeat from *, end k 3 (front edge).
Row 2—P 3, * k 6, p 5; repeat from *, end k 4.
Continue pat. as on back decreasing and increasing at waistband and shaping underarm edge as on back until same length to armhole, end at underarm edge; 56 sts.
Armhole—Shape armhole as on back. Work even on 45 sts until 5½ ins. above underarm, end at front edge with row before a cable twist.
Neck and Shoulder Shaping—Bind off 12 sts at beg. of next row. Dec. 1 st at neck edge every row 5 times; every 2nd row 3 times, shaping shoulder as on back when armhole is same length.

LEFT FRONT—With size 6 needles, cast on 51 sts.

Pattern—Row 1—wrong side—K 3, * p 6 (cable rib), k 5; repeat from *, end p 4.
Row 2—K 4, * p 5, k 6; repeat from *, end p 3.
Finish to correspond to right front, shaping at opposite sides.

SLEEVES—With size 2 needles, cast on 46 sts. Work k 1, p 1 ribbing for 3 ins. increasing 1 st in last st of last row.
Inc. row—P 1, k 1, p 1, * inc. 1 st in next st, work 9 sts; repeat from *, end last repeat, work 3 sts; 52 sts. With size 6 needles, work cable pat.
Row 1—wrong side—K 1, * p 6 (cable rib), k 5; repeat from *, end last repeat k 1.
Row 2—P 1, * k 6, p 5; repeat from *, end last repeat p 1.
Continuing pat., inc. 1 st each side every 1 in. 13 times, working increased sts in pat., until there are 5 sts in the p rib at each side of cables, then work increased sts in stockinette st; 78 sts. Work even until 15 ins. above ribbing, end with same pat. row as back at underarm. Bind off 6 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 5 times; every 4th row 4 times; every 2nd row 4 times. Bind off 2 sts at beg. of next 6 rows; 3 sts at beg. of next 2 rows. Bind off remaining 22 sts.
Sew underarm and shoulder seams.

CROCHET BORDER—Beg. at lower right front corner, work sc to neck edge, 2 sc at corner, continue around neck and down left front, keeping edge even.
Row 2—Ch 1, turn, 1 sc in each sc, decreasing 1 st on each side of neck edge and increasing at corners.
Row 3—Ch 1, turn, 1 sc in each of 7 sts, * ch 2 for buttonhole, skip 2 sts, work 7 more buttonholes evenly spaced, having top buttonhole at neck edge, finish row.
Row 4—Same as row 2.
Row 5—1 sc in each st on front and neck edge, working 3 sc at corners, continue sc on lower edge, keeping even edge. Fasten off.

FINISHING—Block and finish, see page 47.

..Cruiser..

No. 2091 — Sizes	14	16	18
MATERIALS—Bear Brand Standard Knitting Worsted	4 skeins	4 skeins	5 skeins
Bucilla Plastic Knitting Needles, 1 pair Size 5.			
Bucilla Plastic Crochet Hook, Size 2.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	35 ins.	37 ins.	39 ins.
Width of back at underarm	17 ins.	18 ins.	18½ ins.

GAUGE: 6 sts = 1 inch 17 rows = 2 inches. Check, see page 46.

PATTERN—Multiple of 4 plus 3 sts. Make sample on 23 sts.
Row 1—right side—K 3, * take yarn to front of work, slip 1 st as to p, take yarn to back of work, k 3; repeat from *, to end.
Rows 2 and 4—P.
Row 3—K 1, * take yarn to front of work, slip 1 st as to p, take yarn to back of work, k 3; repeat from *, end last repeat k 1. Repeat these 4 rows for pat.

BACK—Cast on	83 sts	87 sts	91 sts
P 1 row. Working pat., dec. 1 st each side every 1¼ ins. twice, with care to carry out pat. Work 1½ ins. even on	79 sts	83 sts	87 sts
Inc. 1 st each side of next row; repeat incs. every ½ in. 11 times more working added sts in pat.	103 sts	107 sts	111 sts
Work even until 10½ ins. from beg.			
Armholes—Bind off at beg. of next 2 rows for underarm	7 sts	7 sts	8 sts
Dec. 1 st each side every 2nd row 7 times. Work even on	75 sts	79 sts	81 sts
until armhole measures, straight up from underarm	7¼ ins.	7½ ins.	7¾ ins.
Shoulders—Bind off at beg. of next 2 rows	7 sts	9 sts	10 sts
Bind off 9 sts at beg. of next 4 rows. Bind off remaining 25 sts.			
LEFT FRONT—Cast on	43 sts	47 sts	51 sts
P 1 row. Work pat., shaping underarm edge as for back at beg. of rows worked from right side, keeping front edge even, until same length as back to armhole, end at underarm edge	53 sts	57 sts	61 sts
Armhole—Bind off at beg. of next row for underarm	7 sts	7 sts	8 sts
Shape armhole as on back. Work even on	39 sts	43 sts	46 sts
until 6 ins. above underarm, end at front edge.			
Neck Shaping—Dec. 1 st at front edge every row 4 times to round off corner. Bind off 8 sts at beg. of next row.			
Dec. 1 st at neck edge every row	twice	4 times	6 times
shaping shoulder as on back when armhole is same length.			
Work right front to correspond to left, shaping at opposite sides.			
SLEEVES—Cast on 43 sts. P 1 row. Work pat., increasing 1 st each side			
every 1 in.	16 times	14 times	11 times
every ¾ in.	———	4 times	8 times
Work even until 18 ins. from beg. on	75 sts	79 sts	81 sts
Bind off at beg. of next 2 rows	7 sts	7 sts	8 sts
Dec. 1 st each side every 2nd row	6 times	9 times	8 times
every 4th row	5 times	4 times	5 times
every 2nd row 3 times. Bind off 3 sts at beg. of next 4 rows. Bind off remaining 21 sts.			

(Continued on Page 43)

..Spectator..

No. 2082 — Sizes	36	40	42
MATERIALS—Bear Brand or Bucilla Ladylaine	12 balls	13 balls	15 balls
Bucilla Plastic Knitting Needles, 1 pair each Sizes 1 and 3.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	39 ins.	43 ins.	45 ins.
Width of back at underarm	18½ ins.	20½ ins.	21½ ins.

GAUGE: Size 3 Needles—15 sts = 2 inches 21 rows = 2 inches. Check, see page 46.

RIBBED PATTERN—Multiple of 4 plus 2 sts. Make sample on 26 sts.
Row 1—right side—P 2, * k 2, p 2; repeat from * to end.
Row 2—K 2, * p 2, k 2; repeat from * to end.
Row 3—P 2, * skip 1 st, k next st from front, do not slip st from needle, k skipped st, slip both sts from needle, p 2; repeat from * to end.
Row 4—Same as row 2.

BACK—With size 1 needles, cast on loosely	126 sts	138 sts	146 sts
Work ribbed pat. for 4½ ins. With size 3 needles, working stockinette st (k 1 row, p 1 row), inc. 1 st each side every 1 in.	7 times	8 times	8 times
Work even on	140 sts	154 sts	162 sts
until 14½ ins. from beg., or desired length to armhole.			
Armholes—Bind off at beg. of next 2 rows for underarm	10 sts	11 sts	12 sts
Dec. 1 st each side every 2nd row	9 times	11 times	12 times
Work even on	102 sts	110 sts	114 sts
until armhole measures 5 ins., straight up from underarm, end with p row.			
Yoke—With size 1 needles, work ribbed pat. until armhole measures	7½ ins.	8 ins.	8¼ ins.
Shoulders—Bind off at beg. of next 2 rows	6 sts	9 sts	10 sts
Bind off 7 sts at beg. of next 8 rows. Bind off remaining	34 sts	36 sts	38 sts
LEFT FRONT—With size 1 needles, cast on	66 sts	74 sts	78 sts
Work ribbed pat. as for back, end on wrong side, underarm edge. With size 3 needles, working stockinette st, shape underarm edge as for back until ½ in. longer than back to armhole, end at underarm edge (extra ½ in. to be held in over bustline)	73 sts	82 sts	86 sts
Armhole and Neck Shaping—Bind off at beg. of next row for underarm, dec. 1 st at neck edge.	10 sts	11 sts	12 sts
Dec. 1 st at armhole edge every 2nd row repeating dec. at neck edge every 6th row, until 5 ins. above underarm, end with k row.	9 times	13 times	14 times
Dec. row—P 5, * p 2 tog., p 1; repeat from * finish row. With size 1 needles, work yoke as on back, continuing front edge dec. until 11 decs. in all, shaping shoulder as on back, when armhole is same length.	8 times	9 times	10 times
RIGHT FRONT—With size 1 needles, cast on	66 sts	74 sts	78 sts
Work to correspond to left front shaping at opposite sides.			
SLEEVES—With size 1 needles, cast on	58 sts	62 sts	66 sts
Work ribbed pat. for 3 ins., end on wrong side.			
Inc. row—Continuing pat., inc. across row, spaced evenly	8 sts	10 sts	10 sts
With size 3 needles, work stockinette st on	66 sts	72 sts	76 sts
increasing 1 st each side every ¾ in. 18 times	102 sts	108 sts	112 sts

(Continued on Page 43)

..Suburban..

No. 2084 Sizes		36	38	40	42	44
MATERIALS—Bear Brand Standard Knitting Worsted	skeins	5	6	6	7	7
Bucilla Plastic Knitting Needles, 1 pair each Sizes 4 and 6.						
Bucilla Plastic Crochet Hook, Size 5.						
MEASUREMENTS OF GARMENT—At bustline (buttoned)	ins.	39	41	43	45	47
Width of back at underarm	ins.	18	19	20	21	22
GAUGE: Size 6 Needles—5 sts = 1 inch 7 rows = 1 inch. Check, see page 46.						
BACK—With size 4 needles, cast on	sts	90	95	100	105	110
Work k 1, p 1 ribbing for 9 rows. With size 6 needles, work stockinette st (p 1 row, k 1 row), until 2¼ ins. above ribbing. Dec. 1 st each side of next row; repeat decs. every 1 in. 4 times more; having at waistline	sts	80	85	90	95	100
Inc. 1 st each side every 1 in. 5 times	sts	90	95	100	105	110
Work even until 14¾ ins. above ribbing or desired length to underarm.						
Armholes—Bind off at beg. of next 2 rows for underarm	sts	5	6	6	7	7
Dec. 1 st each side every 2nd row	times	7	7	8	8	9
Work even on	sts	66	69	72	75	78
until armhole measures, straight up from underarm	ins.	7½	7¾	8	8¼	8½
Shoulders—Bind off at beg. of next 2 rows	sts	4	5	6	7	8
Bind off 6 sts at beg. of next 6 rows. Bind off remaining	sts	22	23	24	25	26
POCKET LININGS—Make 2. With size 6 needles, cast on	sts	25	25	27	29	29
Work stockinette st for 4½ ins., end with k row. Slip on holder. Break yarn.						
LEFT FRONT—With size 4 needles, cast on	sts	55	57	61	63	65
Work k 1, p 1 ribbing for 9 rows, end at front edge. With size 4 needle, continue ribbing on 8 sts for front border, with size 6 needle, p to end. **Next row**—With size 6 needle, k to border, with size 4 needle, work 8 sts in ribbing.						
Work as in these 2 rows, shaping underarm edge as on back until 4½ ins. above ribbing, end at front edge.						
Pocket Opening—Work	sts	24	26	28	28	30
slip on holder for top of pocket ribbing, next	sts	25	25	27	29	29
with p side of lining toward you, p sts of lining, finish row. Continue shaping underarm edge as on back until ½ in. longer than back to armhole, end at underarm edge (extra ½ in. to be held in over bustline)	sts	55	57	61	63	65
At waistline there will be	sts	50	52	56	58	60
Armhole and Neck Shaping—Bind off at beg. of next row for underarm	sts	6	7	7	8	8
Work 1 row even. **Next row**—Dec. 1 st at armhole edge, work to within 10 sts of end, k 2 tog., work border. Continue shaping armhole as on back, repeating dec. at neck edge at inside of border every 4th row	times	10	10	12	12	12

(Continued on Page 40)



..Wheatley Hills..

No. 2080 Sizes		36	38	40	42
MATERIALS—Bear Brand or Bucilla Angel Zephyr	skeins	5	5	6	6
Bear Brand or Bucilla Casa-Laine Sport Yarn	balls	7	7	8	8
Bear Brand or Bucilla Sweater and Stocking Yarn	skeins	7	7	8	8
Bear Brand or Bucilla Petite Knitting Worsted	skeins	6	6	7	7
Bucilla Plastic Knitting Needles, 1 pair each Sizes 3 and 6.					
MEASUREMENTS OF GARMENT—At bustline (buttoned)	ins.	37	39	41	43½
Width of back at underarm	ins.	18	19	20	21
GAUGE: Size 6 Needles—6 sts = 1 inch 15 rows = 2 inches. Check, see page 46.					
BACK—With size 3 needles, cast on	sts	108	114	120	126
Work k 2, p 2 ribbing for 2½ ins. With size 6 needles, work stockinette st (p 1 row, k 1 row) until 13½ ins. above ribbing or desired length to armhole, end with p row.					
Armholes—Bind off at beg. of next 2 rows for underarm	sts	6	7	7	8
Dec. row—K 1, slip, k and pass, k to within 3 sts of end, k 2 tog., k 1. Repeat dec. row every 4th row	times	7	8	9	9
Work even on	sts	80	82	86	90
until armholes measure, straight up from underarm	ins.	7¼	7½	7¾	8
Slip on holder.					
LEFT FRONT—With size 3 needles, cast on	sts	60	64	66	70
Work ribbing as on back. With size 6 needles, work stockinette st until same length as back to armhole, end with p row (underarm edge). Shape armhole as on back. Work even on	sts	46	48	49	52
until armhole measures 6¾ ins., end with k row (front edge).					
Neck Shaping—P and slip on holder	sts	20	21	21	22
finish row. Work even on	sts	26	27	28	30
until measurement from beg. of neck shaping is	ins.	1½	1¾	2	2¼
Weave sts on needle to same number of sts at left side of back. Mark position of 5 buttons evenly spaced at front edge, having first button ¾ in. above ribbing and space from 5th button to neck, ½ in. less than other spaces.					
RIGHT FRONT—With size 3 needles, cast on	sts	60	64	66	70
Work to correspond to left front, shaping at opposite sides, making buttonhole at beg. of k row opposite markers on left front.					
Buttonhole—Beg. at front edge, k 2, bind off 3 sts, finish row. Cast on 3 sts over buttonhole in next row. Finish to correspond to left front and weave remaining sts to same number of sts at right side of back.					
NECK RIBBING—Beg. at right front edge, slip neck sts on size 3 needle, pick up and k on side edge	sts	11	12	13	14
k sts of back neck, pick up and k on left side	sts	11	12	13	14
k left front neck sts. Work ribbing for 8 rows on	sts	90	94	98	102
making 6th buttonhole in 4th and 5th rows. Bind off in ribbing.					
SLEEVES—With size 3 needles, cast on loosely	sts	50	54	56	60
Work ribbing for 3 ins. for cuff. With size 6 needles, working stockinette st, inc. 1 st each side every 1 in. 14 times. Work even until 15 ins. above ribbing on	sts	78	82	84	88
end with p row. Bind off and dec. same as armholes of back. Bind off 2 sts at beg. of next 4 rows. Bind off remaining	sts	42	42	42	44

FINISHING—Block and finish, see page 47. Sew 1-in. ribbon on wrong side of front edges, making buttonholes in ribbon.



..Vacationer..

No. 2094 — Sizes	14	16	18
MATERIALS—Bear Brand or Bucilla Angel Zephyr	4 skeins	5 skeins	5 skein
Bucilla Plastic Knitting Needles, 1 pair Size 4.			
Bucilla Plastic Crochet Hook, Size 1.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	35 ins.	37 ins.	39 ins.
Width of back at underarm	16½ ins.	17½ ins.	18½ ins.

GAUGE: 15 sts = 2 inches. 10 rows = 1 inch. Check, see page 46.

PATTERN—Multiple of 4 sts. Make sample on 28 sts.
Row 1—right side—P 1, * k 2, p 2; repeat from *, end k 2, p 1.
Row 2—K 1, * p 2, k 2; repeat from *, end p 2, k 1.
Row 3—P 1, * skip 1 st, k next st from front, do not slip from left needle, k skipped st, slip both st from needle, p 2; repeat from *, end p 1 instead of p 2.
Row 4—Same as row 2. Repeat these 4 rows for pat.

BACK—Cast on	120 sts	128 sts	136 sts
Working pat. dec. 1 st each side every 1 in. 6 times	108 sts	116 sts	124 sts
Inc. 1 st each side every 1 in. 7 times	122 sts	130 sts	138 sts
Work even until 14 ins. from beg.			
Armholes—Bind off at beg. of next 2 rows for underarm	7 sts	8 sts	9 sts
Dec. 1 st each side every 2nd row	6 times	8 times	8 time
Work even on	96 sts	98 sts	104 sts
until armhole measures, straight up from underarm	7 ins.	7¼ ins.	7½ ins.
Shoulders—Bind off at beg. of next 2 rows	8 sts	9 sts	11 sts
Bind off 8 sts at beg. of next 6 rows. Bind off remaining	32 sts	32 sts	34 sts
LEFT FRONT—Cast on	65 sts	69 sts	73 sts
Row 1—P 1, * k 2, p 2; repeat from * to end, front edge. Continue pat., keeping front edge even, shaping underarm edge as on back	66 sts	70 sts	74 sts
Work even until same length as back to armhole, end at underarm edge.			
Armhole—Shape armhole as on back	53 sts	54 sts	57 sts
Work even until armhole measures 5½ ins., end at front edge.			
Neck and Shoulder Shaping—Bind off 11 sts at beg. of next row. Dec. 1 st at neck edge every row	10 times	10 times	11 time
shaping shoulder as on back when armhole is same length.			
RIGHT FRONT—Cast on	65 sts	69 sts	73 sts
Row 1—* P 2, k 2; repeat from *, end p 1. Continue to correspond to left front shaping at opposite sides.			
SLEEVES—Cast on	80 sts	84 sts	88 sts
Working pat. inc. 1 st each side every ½ in. 7 times	94 sts	98 sts	102 sts
Work even until 4½ ins. from beg. Bind off at beg. of next 2 rows	7 sts	8 sts	9 sts
Dec. 1 st each side every 2nd row	8 times	9 times	10 time
every 4th row 6 times; every 2nd row 3 times. Bind off 3 sts at beg. of next 6 rows. Bind off remaining 28 sts.			
Sew shoulder and underarm seams.			

CROCHETED BORDER—From right side, work an even number of sc around neck edge, holding in to desire size. **Row 2**—Ch 1, turn, 1 sc in first sc, * ch 1, skip 1, 1 sc in next sc; repeat from *, end 1 sc in last sc.

(Continued on Page 43)

..Fairway..

No. 2087 — Sizes	36	38	40
MATERIALS—Bear Brand or Bucilla Petite Knitting Worsted	5 skeins	6 skeins	7 skeins
Bucilla Plastic Knitting Needles, 1 pair each Sizes 2 and 4.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	39 ins.	41 ins.	43 ins.
Width of back at underarm	19 ins.	20 ins.	21 ins.
GAUGE: Size 4 Needles—7 sts = 1 inch 9 rows = 1 inch. Check, see page 46.			
NECK RIBBING—With size 2 needles, cast on	110 sts	114 sts	118 sts
Work k 2, p 2 ribbing for	4 rows	3 rows	3 rows
end at right front edge.			
Buttonhole—Work 2 sts, bind off 4, finish row. Cast on 4 sts over buttonhole on next row.			
Work ribbing for 4 rows more, end at right front edge.			
Raglan Yoke—Row 1—With size 4 needles, p.			
Row 2—For left front, k	25 sts	27 sts	27 sts
* inc. 1 st in next st, k 1 (mark for seam st), inc. 1 st in next st; k 5; inc. 1 st in next st, k 1 (mark for seam st), inc. 1 st in next st (left sleeve) *;			
k for back next	37 sts	37 sts	41 sts
repeat between *'s once for right sleeve; k 2, leaving	24 sts	26 sts	26 sts
Row 3—Turn, slip 1, p all except last	24 sts	26 sts	26 sts
Row 4—Turn, slip 1, k 1, * inc. 1 st in next st, k 1, inc. 1 st in next st; k 7; inc. 1 st in next st, k 1, inc. 1 st in next st *; k to within 1 st of next seam st (back sts); repeat beween *'s once; k 5; leaving	22 sts	24 sts	24 sts
Row 5—Turn, slip 1, p all except last	22 sts	24 sts	24 sts
Turn and slip first st at beg. of every short row for shaping neck.			
Continue short rows working 2 sts more on front every row before turning and increasing 8 sts (1 st at each side of seam sts) every k row as before, until there are above ribbing at center back	15 rows	17 rows	19 rows
Next row—Increasing as before, work to right front edge. P 1 row on all sts, completing short rows. Continue to inc. 8 sts every k row 31 times more, repeating buttonhole every 3 ins. (including previous buttonhole) until there are 8	422 sts	434 sts	446 sts
P and slip on holder for right front	66 sts	69 sts	70 sts
P and slip on holder for right sleeve	86 sts	88 sts	90 sts
P and slip on holder for back	118 sts	120 sts	126 sts
P for left sleeve	86 sts	88 sts	90 sts
Slip on holder for left front, remaining	66 sts	69 sts	70 sts
LEFT SLEEVE—Cast on for underarm	8 sts	9 sts	10 sts
Turn, k across sleeve, cast on	8 sts	9 sts	10 sts
Working stockinette st on these	102 sts	106 sts	110 sts
dec. 1 st each side every 2nd row 3 times; every 1 in	6 times	———	———
every ¾ in.	10 times	18 times	18 times
Work even on	64 sts	64 sts	68 sts
until underarm measures	15¼ ins.	15½ ins.	15¾ ins.
Cuff—With size 2 needles, work k 2, p 2 ribbing for 3 ins. Bind off in ribbing. Sew sleeve seams.			
RIGHT SLEEVE—Work in same way.			
BODY—With size 4 needle, take up left front sts; beg. at seam st, p to front edge. **Next row**—K left front sts, pick up and k 1 st in each st cast on for underarm, k back sts, pick up and k 1 st in each underarm st, k right front sts. Work stockinette st for 12½ ins. on			
With size 2 needles, work ribbing for 2 ins. Bind off.	282 sts	294 sts	306 sts
FINISHING—Steam and finish, see page 47. Face front edges with ribbon.			

No. 2086 *(Continued from Page 3)*

Sizes	34	38	42
Continue shaping underarm edge as on back until same length to armhole, end at underarm edge	72 sts	80 sts	90 sts
at waistline there will be	64 sts	72 sts	82 sts
Armhole and Shoulder Shaping—Bind off at beg. of next row for underarm	7 sts	8 sts	9 sts
Shape armhole as on back, work until 2½ ins. above underarm, end at front edge	56 sts	63 sts	71 sts
Begin to widen garter st border into collar as follows:			
Row 1—K 9, work to end.			
Row 2—Work to within 9 sts of end, k 9.			
Continue to work 1 st more of garter st and 1 st less in pat. every 4th row, until there are 19 sts of garter st. Work until armhole is same length as on back. Shape shoulder as on back. Work garter st on remaining	25 sts	30 sts	36 sts
for	2¼ ins.	2¼ ins.	2½ ins.
Slip on holder.			
Mark position of 6 buttons evenly spaced, having first button 1½ ins. from beg. and last button 1½ ins. above underarm.			
RIGHT FRONT—Cast on	69 sts	79 sts	89 sts
Row 1—P to within 8 sts of end, k 8 sts for front border. Work to correspond to left front for 1½ ins., end at front edge.			
Buttonhole—K 3 sts, bind off 3 sts, work to end.			
Cast on 3 sts over buttonhole in next row.			
Work to correspond to left front until about 5¾ ins. from beg., end with pat. row 11 at front edge, repeating buttonhole opposite markers for buttons.			
Pocket Opening—Work	23 sts	28 sts	33 sts
bind off 37 sts, work to end. Finish to correspond to left front.			
SLEEVES—Cast on 49 sts. Work garter st (k every row) for 1 in. Work pat. as on back, increasing 1 st each side on 2nd row and repeating incs.			
every 1 in.	3 times	———	———
every ¾ in.	17 times	16 times	10 times
every ½ in.	———	8 times	17 times
Work even until 18 ins. from beg. on	91 sts	99 sts	105 sts
Bind off at beg. of next 2 rows	7 sts	8 sts	9 sts
Dec. 1 st each side every 2nd row	10 times	11 times	11 times
every 4th row	3 times	3 times	4 times
every 2nd row 4 times. Bind off 2 sts at beg. of next	8 rows	10 rows	10 rows
Bind off remaining	27 sts	27 sts	29 sts

FINISHING—Block and finish, see page 47. Work 2 rows sc on edge of pocket opening. Weave ends of collar together and sew inside edge to back neck edge. Work 2 rows sc on lower edge of cardigan.

No. 2085 *(Continued from Page 18)*

Size	38	42	46
Dec. 1 st at armhole edge every 2nd row	5 times	5 times	6 times
at the same time, repeat dec. at inner edge of front border every 4th row until armhole is same length as back from underarm to yoke, having 5 k sts at armhole edge on last twist row. Begin yoke as on back, continuing to dec. before border every 4th row until there are	17 decs.	17 decs.	18 decs.
Continue yoke on	42 sts	45 sts	47 sts
shaping shoulder as on back when armhole is same length.			
Work border sts for 2½ ins. more. Bind off in ribbing.			
RIGHT FRONT—With size 2 needles, cast on	80 sts	86 sts	92 sts
Work ribbing as on back.			

(Continued on Next Page)

Sizes	38	42	46

Pattern—**Row 1**—With size 4 needles, p to within 8 sts of end, with size 2 needles, k 1, p 1 to end. Work to correspond to left front, shaping at opposite side, working first buttonhole 1½ ins. from lower edge as follows:

Buttonhole—Beg. at front edge, work 3 sts, bind off 3 sts for buttonhole, finish row. Cast on 3 sts over buttonhole on next row. Repeat buttonhole every 3 ins. (including previous buttonhole) 5 times. Finish to correspond to left front.

SLEEVES—With size 2 needles, cast on loosely	52 sts	56 sts	60 sts
Work ribbing as on back for 3 ins. **Inc. row**—Continuing ribbing, inc. across row (spaced evenly)	8 sts	10 sts	12 sts
With size 4 needles, working pat. on	60 sts	66 sts	72 sts
inc. 1 st each side every ¾ in.	18 times	14 times	12 times
every ½ in.	once	7 times	10 times
Work even until 15 ins. above ribbing on	98 sts	108 sts	116 sts
Bind off at beg. of next 2 rows	8 sts	9 sts	11 sts
Bind off 2 sts at beg. of next	6 rows	8 rows	8 rows
Dec. 1 st each side every 4th row	9 times	9 times	10 times
every 2nd row twice. Bind off 4 sts at beg. of next 6 rows. Bind off remaining	24 sts	28 sts	30 sts

POCKETS—With size 4 needles, cast on 36 sts. Work pat. for 4½ ins. Bind off. Make 2.

FINISHING—Block and finish, see page 47. Sew ends of border tog. and sew to back neck edge. Work 1 row sc on top of pockets.

No. 2088 *(Continued from Page 10)*

Sizes	34	36	38

RIGHT FRONT—Beg. at front edge, ch 117.
Row 1—Skip first st from hook, 1 sc in each of next 7 sts, 1 hdc in each st to within 1 st of end, 1 sc in last st; 116 sts.
Row 2—Ch 5, turn, 1 sc in 2nd st from hook, 1 hdc in each of next 3 sts, finish row.
Row 3—Work to neck edge, with separate strand of yarn ch 4, join in same st as last st, break off; work 3 hdc and 1 sc on ch; 124 sts. Repeat

last 2 rows	twice	twice	3 times
having	140 sts	140 sts	148 sts
Ch	5	5	4
Turn, 1 sc in 2nd st from hook, 1 hdc in each st of ch, finish row. Ch 1, turn, work to neck edge, with separate strand, ch	4	4	3
join as before, break off; work	3 hdc	3 hdc	2 hdc
and 1 sc on ch; ch	5	6	4
turn, 1 sc in 2nd st from hook, 1 hdc in each st of ch, finish row. Ch 1, turn, work to neck edge, with separate strand, ch	4	5	3
join as before, break off	3 hdc	4 hdc	2 hdc
and 1 sc on ch, end at neck edge	156 sts	158 sts	160 sts

Mark last st for beg. of shoulder. Ch 2, turn, finish as for left shoulder and left armhole of back.

SLEEVES—Beg. at underarm, ch 22.
Row 1—Skip 2 sts from hook, 1 hdc in each of next 19 sts, 1 sc in last st.
Row 2—Ch 13, turn, skip 1 st, 1 sc in next st, 1 hdc in each remaining st.
Row 3—Ch 2, turn, * 1 hdc in each st, with separate strand of yarn ch 12, join in same st with last hdc, break off; work 11 hdc and 1 sc on ch *.
Row 4—Same as row 2.

(Continued on Page 38)

No. 2088 *(Continued from Page 37)*

Sizes	34	36	38

Row 5—Ch 3, turn, 2 hdc in 3rd st from hook—2 hdc increased for top of sleeve; repeat between *'s of row 3.
Row 6—Same as row 2, increasing 2 hdc at top of sleeve by working 3 hdc in last st.
Row 7—Same as row 5.
Row 8—Ch 35, turn, skip first st from hook, 1 sc in each of next 24 sts for cuff, 1 hdc in each remaining st, increasing 2 hdc at top of sleeve as before; 134 sts. Keeping cuff edge even, working 24 sc on cuff and hdc on remainder of sleeve, inc. 2 sts at top of sleeve every row..... 8 times 10 times 10 times
more, inc. 1 st at top of sleeve every row..... 6 times 4 times 6 times
having ..... 22 rows 22 rows 24 rows
Work even on ..... 156 sts 158 sts 160 sts
for ..... 16 rows 18 rows 18 rows
Dec. 1 st at top of sleeve every row..... 6 times 4 times 6 times
then dec. 2 sts every row (to dec. 2 sts, yo, draw up loop through each of 3 sts, yo, through all 5 loops)..... 9 times 11 times 11 times
end at cuff; 132 sts..... 53 rows 55 rows 59 rows
Break off. Begin short rows.
Row 1—Turn, skip 34 sts, 1 sc in next st, 1 hdc in next st, finish row, decreasing 2 sts at top of sleeve.
Row 2—Ch 2, turn, dec. 2 sts at top of sleeve, work to within 13 hdc of end, 1 sc in next st, 1 slip st in next st. Break off.
Row 3—Turn, skip slip st, sc and 10 hdc, finish same as first short row; 68 sts. Keeping top of sleeve even for underarm, work 4 more short rows, leaving off 12 sts each time as for short rows 2 and 3; 20 sts. Break off. Sew shoulder seams.

BORDER—**Row 1**—Beg. at lower edge of right front, work 1 sc in each st to neck shaping; 116 sts; place a marker on last st, work an even number of sc around neck edge to last st of neck shaping, keeping edge flat, place another marker, work 116 sc on left front edge, working through both loops.
Row 2—Ch 1, turn, 1 sc in first sc, * ch 1, skip 1 st, 1 sc in next st; repeat from *, end 1 sc in last st.
Row 3—Ch 1, turn, 1 sc in first sc, * ch 1, skip 1 sc, 1 sc under next ch 1 *; repeat between *'s to marker, ch 1, 1 sc in next sc, ch 1, 1 sc under next ch 1,—1 pat. increased, repeat between *'s to marker on left front, inc. 1 pat., finish row.

Buttonhole row—Work as for row 3 to right front marker, inc. 1 pat., † ch 3, skip 1 sc, ch 1, 1 sc, work 1 sc in next space, repeat between *'s of row 3, 7 times; repeat from † 5 times, ch 3, skip 3, 1 sc in next space, finish row.
Row 5—Same as row 3, working 1 sc in first st, ch 1, 1 sc in 3rd st of each buttonhole and inc. 1 pat. before marker on right front and after marker on left front. Work 1 row even.
Row 7—Work pat., increasing as in row 5. Fasten off.

FINISHING—Steam and finish, see page 47.

No. 2092 *(Continued from Page 12)*

Sizes	14	16	18

Neck Shaping—Bind off 24 sts at beg. of next row. Dec. 1 st at neck edge every row 10 times, shaping shoulder as on back, when armhole is same length.

RIGHT FRONT—With size 2 needles, cast on..... 90 sts 90 sts 98 sts
Work k 1, p 1 ribbing for 8 rows.

Buttonhole—K 1, p 1 for 5 sts, bind off 3 sts, finish row. On next row, cast on 3 sts over buttonhole. Continue ribbing until there are 12 rows. **Next row**—Work ribbing for 12 sts; with size 3 needle, work pat. to end. Finish to correspond to left front, repeating buttonhole every 3 ins. (including previous buttonhole), with pocket 24 sts from front border and 8th buttonhole about 2 rows below neck edge.

(Continued on Next Page)

Sizes	14	16	18
SLEEVES—With size 2 needles, cast on 60 sts. Work k 1, p 1 ribbing for 3 ins. **Inc. row**—Continuing ribbing, inc. 1 st in every 6th st 10 times. With size 3 needles, work pat., increasing 1 st each side every ¾ in....	18 times	16 times	12 times
every ½ in.	———	4 times	10 times
with care to carry out pat. on added sts. Work even until 15 ins. above ribbing on....	106 sts	110 sts	114 sts
end with same pat. row as back at underarm. Bind off at beg. of next 2 rows....	8 sts	10 sts	11 sts
Dec. 1 st each side every 2nd row....	10 times	8 times	8 times
every 4th row	7 times	9 times	10 times

every 2nd row 4 times. Bind off 3 sts at beg. of next 6 rows. Bind off remaining 30 sts.

Pocket Border—Slip 38 pocket sts to size 2 needle, beg. on right side, k 5 rows in garter st. Bind off from wrong side as to k.

COLLAR—With size 3 needles, cast on 46 sts. P 1 row. Work pat. casting on 8 sts at beg. of next 8 rows, with care to carry out pat. on added sts. Work even on 110 sts until 30 rows above last cast-on, end with 9th row above last twist row. Break off.

Border—Row 1—With free needle, from right side, pick up and k 24 sts on side of collar, k 110 sts, pick up and k 24 sts on other side; 158 sts. K 1 row even.
Row 3—K 23, inc. 1 st in each of next 2 sts, k to within 25 sts of end, inc. 1 st in each of next 2 sts, k to end. K 1 row.
Row 5—K 24, inc. 1 st in each of next 2 sts, k to within 26 sts of end, inc. 1 st in each of next 2 sts, k to end. Bind off from wrong side as to k.

FINISHING—Steam and finish, see page 47. Tack sides of pocket borders to fronts. Sew on collar, leaving half of each front band free. Work 1 row sc from right side on each front edge and on free sts of front neck edge. Steam.

No. 2096 *(Continued from Page 20)*

Sizes	Small	Medium	Large
Work pat. shaping underarm edge (beg. of rows worked from right side) as on back, until same length to armhole, end with dc row....	15 pats.	16 pats.	18 pats.
Armhole—Work across, leaving off at end of row for underarm....	3 pats.	3 pats.	3 pats.
Work first 3 dec. rows for armhole as on right side of back, keeping front edge even. **4th dec. row**—Slip st over....	1 pat.	1 pat.	2 pats.
for neck edge, work across row, end as for 4th dec. row of back. **Next row**—Work even to within 1 pat. of end, 1 dc in last loop. Ch 2, turn, 1 sc between 4th and 5th dc, finish row. Repeat last 2 rows until there are	8 pats.	9 pats.	9 pats.

Work even until same length as back armhole; shape shoulder as for right back shoulder.

RIGHT FRONT—Work to correspond to left front, shaping at opposite sides.

FINISHING—Sew side and shoulder seams.

BORDER—Join at beg. of left front neck shaping, work sc to lower edge, keeping work flat. Fasten off.
Row 2—Join at beg. of last row, work 1 sc in back loop of each sc to lower edge. Fasten off. Repeat last row once.
All sc rows are worked on right side, taking back loop only. Beg. at lower edge of right front, work 2 rows sc in same way to neck edge, fasten off at end of each row.
Row 3—Buttonhole row—1 sc in each of first 3 sts, ch 2, skip 2 for buttonhole; continue sc, repeating buttonhole 6 times, spacing buttonholes equal distances apart, having last buttonhole 1 st from neck edge, 1 sc in last st. Fasten off.
Row 4—1 sc in each sc, 3 sc in last sc; continue sc around neck edge (keeping work flat), down left front to lower edge. Fasten off.
Row 5—Beg. at first st of last row, work 1 sc in each sc of row, 3 sc in last st at lower edge of left front, continue sc across lower edge, keeping work flat and working 2 sc in same st as first sc of row. Fasten off. Work 2 rows sc around armholes, keeping work flat. Steam, see page 47.

No. 2084 *(Continued from Page 28)*

Sizes		36	38	40	42	44
Shape shoulder as on back when armhole is same length. With size 4 needles, continue ribbing on remaining 9 sts for	ins.	2¼	2¼	2½	2½	2¾
Slip on holder. Break yarn leaving 12 in. end for weaving. With size 4 needles, take up sts of pocket. Beg. on wrong side, work ribbing for 9 rows. Bind off in ribbing. Mark position of 6 buttons evenly spaced, having first button 3 ins. from beg. and last button at beg. of neck shaping.						
RIGHT FRONT—With size 4 needles, cast on	sts	55	57	61	63	65
Work ribbing as on left front for 9 rows, end at underarm edge. With size 6 needle, p to within 8 sts of front edge, with size 4 needle, work 8 sts in ribbing. Work to correspond to left front until 3 ins. from beg., end at front edge.						
Buttonhole—Work 3 sts, bind off 3 sts, finish row. Next row, cast on 3 sts over buttonhole. Continue to correspond to left front to pocket opening, shaping at opposite side, working buttonholes at front edge opposite markers for buttons, end at underarm edge.						
Pocket Opening—P 3, slip on holder next	sts	25	25	27	29	29
p sts of lining, finish row. Finish to correspond to left front, decreasing for neck shaping at inside edge of border by slip, k and pass, on rows worked from right side.						
SLEEVES—With size 4 needles, cast on	sts	39	39	41	43	43
Work k 1, p 1 ribbing for 3 ins. With size 6 needles, working stockinette st, inc. 1 st each side every ½ in	times	7	9	9	10	12
every 1½ ins.	times	7	6	6	6	5
Work even until 15 ins. above ribbing on	sts	67	69	71	75	77
Bind off at beg. of next 2 rows	sts	6	7	7	8	8
Dec. 1 st each side every row twice; every 2nd row 5 times; every 4th row	times	3	4	4	4	5
every 2nd row	times	2	1	2	3	2
Bind off 2 sts at beg. of next 6 rows. Bind off remaining	sts	19	19	19	19	21

FINISHING—Block and finish, see page 47. Sew ends of pocket ribbing on right side. Weave ends of neck border tog., sew to back of neck.

No. 2090 *(Continued from Page 16)*

Row 3—P 10, k 4 (5), p 8, k 4 (5), p 1, work k 1, p 1 for 6 sts seed st, p 1, k 4 (5), p 8, k 4 (5), p 10. Continue to work pat. on 40 (44) center sts and stockinette st on remaining sts, increasing 1 st each side every ¾ in. 19 times, working increased sts in stockinette st; 98 (102) sts. Work even until 15 ins. above ribbing. Bind off 7 (8) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 9 (10) times; every 4th row 4 times; every 2nd row 5 times. Bind off 3 sts at beg. of next 6 rows. Bind off remaining 30 sts.



(Continued on Next Page)

FRONT BANDS—Beg. at neck edge, work 1 row sc on left front to lower edge, keeping work flat. Ch 1, turn, 1 sc in front loop of each sc. Repeat last row 4 times. Break off.

Place markers on 3rd row for 6 buttons evenly spaced, having first button about ¾ in. from lower edge and last button about 1¾ ins. from neck edge. Beg. at lower edge of right front, work 3 rows sc to correspond to left front.

Buttonhole row—Ch 1, turn, 1 sc in front loop of each sc to first marker, ch 2, skip 2, finish row, repeating buttonhole opposite each marker for button. Work 2 more rows sc to correspond to left front. Break off. Beg. at lower right front edge, work 6 sc on lower edge of band, 1 slip st in each sc on front edge; keeping edge flat, work sc around neck edge, working a multiple of 3 plus 1; 1 slip st in each sc of left front edge; 6 sc on lower edge of left front band. Fasten off.

NECK BEADING—With loop on hook, from wrong side, yo hook 3 times, draw up a loop on neck edge in 4th st from front edge—5 loops on hook; * yo, through 2 loops, repeat from * 3 times—a double tr, work a 2nd double tr in same st, † ch 1, skip 2 sts, 2 double tr in next st; repeat from † around neck edge to within 3 sts of right front edge. Ch 1, turn, 1 sc between first 2 double tr, * 1 sc under ch 1, 1 sc between next 2 double tr; repeat from * to end. Fasten off.

CORD—With double strand of yarn, ch 45 ins. loosely; work 1 slip st in horizontal loop of each st at back of ch. Fasten off.

FINISHING—Block and finish, see page 47. Draw cord through beading and finish with a tassel at each end, as illustrated. Embroider a flower in each stockinette st pat. of fronts and sleeves, see cut page 40, using a different color combination for each flower.

No. 2083 *(Continued from Page 4)*

Neck and Shoulder Shaping—Next row—Work 17 sts, slip on holder for neck ribbing. Dec. 1 st at neck edge every row 6 times; every 2nd row 4 times, shaping shoulder as on back when armhole is same length.

LEFT FRONT—With size 3 needles, cast on 62 (66-70) sts. Work k 1, p 1 ribbing until 10 rows from beg., end at underarm edge.

Row 1—With size 5 needles, k 7 (8-9), * p 2, k 4 (5-6), p 2, k 12; repeat from * once, p 2, k 4 (5-6), work 9 sts of border on size 3 needles. Continue pat. as for right front for 2 rows more omitting buttonhole.

Row 4—inc. row—Work 9 sts of border, * p 4 (5-6), k 2, p 1, inc. 1 st in each of next 3 sts, p 8, k 2; repeat from * once, p 4 (5-6), k 2, p 7 (8-9); 68 (72-76) sts. Finish to correspond to right front, omitting buttonholes. Sew shoulder seams.

SLEEVES—With size 3 needles, cast on 50 (53-56) sts. Work k 1, p 1 ribbing for 3½ ins. With size 5 needles, begin pat.

Row 1—right side—K 1, * p 2, k 4 (5-6), p 2, k 12; repeat from *, end last repeat k 1. Continue ribbing in this way for 2 rows more.

Row 4—inc. row—P 1, * k 2, p 4 (5-6) k 2, p 1, inc. 1 st in each of next 3 sts, p 8; repeat from * once, k 2, p 4 (5-6), k 2, p 1; 56 (59-62) sts.

Row 5—Cable twist row—K 1, * p 2, k 4 (5-6), p 2, work twist on next 15 sts; repeat from * once, p 2, k 4 (5-6), p 2, k 1.

Continuing cable pat., inc. 1 st each side of next row, repeat incs. every 8th row 13 times, working increased sts in stockinette st; 84 (87-90) sts. Work even until 14½ ins. above ribbing, end with twist row. Bind off 6 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 7 (8-9) times; every 4th row 3 times; every 2nd row 3 times. Bind off 2 sts at beg. of next 6 rows; 3 sts at beg. of next 2 rows. Bind off remaining 28 (29-30) sts.

NECK RIBBING—Take up 17 sts from holder at right side of neck, with size 3 needles, pick up and k 15 (16-17) sts up to shoulder seam, take up and work 29 sts of back in pat., pick up and k 15 (16-17) sts on left edge, take up and k 17 sts; 93 (95-97) sts. Work k 1, p 1 ribbing for 3 rows. Work 9th buttonhole in 4th and 5th rows. Work 4 rows. Bind off in ribbing.

FINISHING—Steam and finish, see page 47. Work 1 row sc on front edges, from right side, keeping work flat.

No. 2093 *(Continued from Page 6)*

Sizes		34	36	38	40	42	44
Armhole and Neck Shaping—Bind off at beg. of next row for underarm	sts	9	10	11	12	13	14
Shaping armhole as on back, dec. 1 st at inside edge of border every ½ in. 4 times, decreasing in rows worked on right side as follows: Work to within 2 sts of border, k 2 tog., k 9.							
Next row—wrong side—Work even	sts	60	62	63	65	66	68
Shoulder Dart—**Row 1**—K	sts	18	19	20	21	21	22
slip, k and pass, k 1 (mark for seam st), k 2 tog., k to end. Continuing neck decs. as before 10 times more; dec. 1 st each side of dart seam st every 1½ ins. 3 times more, shaping shoulder as on back when armhole is same length.							
Continue garter st on 9 sts for	ins.	2¼	2¼	2¼	2¼	2½	2½
Slip on holder, leaving 10-in. end for weaving. Mark position of 6 buttons, evenly spaced, having first button 3¾ ins. from beg. and 6th button 1 row below armhole.							
RIGHT FRONT—Cast on same number of sts as left front. Work garter st for 1¼ ins., end on right side at underarm edge. **Row 1**—P to within 9 sts of end, k 9 sts for border. **Row 2**—K. Repeat these 2 rows until 3¾ ins. from beg., end at front edge.							
Buttonhole—K 3, bind off 4 sts for buttonhole, k to end. Cast on 4 sts over buttonhole on next row. Work even until 4 ins., from beg., end at front edge.							
First dec. row—K	sts	40	42	43	45	46	48
slip, k and pass, k 1 (mark for seam st), k 2 tog., k to within 2 sts of end, k 2 tog. Continue to correspond to left front making 5 more buttonholes opposite markers for buttons, decreasing for neck in rows worked on right side as follows: K 9, slip, k and pass, finish row. Work to shoulder dart, end on wrong side.							
Shoulder Dart—**Row 1**—K	sts	37	38	38	39	40	41
slip, k and pass, k 1 (mark for seam st), k 2 tog., k to end. Finish to correspond to left front.							
SLEEVES—Cast on	sts	48	50	52	54	56	58
Work garter st for 1¼ ins. Inc. 5 sts in next row, spaced evenly across, having	sts	53	55	57	59	61	63
Working stockinette st, inc. 1 st each side every ½ in.	times	4	7	10	13	16	19
every ¾ in.	times	18	16	14	12	10	8
Work even until 17¾ ins. from beg. or desired length to underarm on	sts	97	101	105	109	113	117
Bind off at beg. of next 2 rows for underarm	sts	8	9	10	11	12	13
Dec. 1 st each side every 2nd row 10 times; every 4th row 4 times. Work even until 4¼ ins. above underarm. Dec. 1 st each side of next row; repeat decs. every 2nd row	times	2	3	4	5	6	7
Bind off 2 sts at beg. of next 10 rows. Bind off remaining 27 sts.							

POCKETS—Cast on 45 sts. Work stockinette st for 5¼ ins., end with p row. **Dec. row**—K 3, * k 2 tog., k 5; repeat from * to end. Work garter st on 39 sts for 1¼ ins. Bind off. Make 2.

FINISHING—Steam and finish, see page 47. Weave ends of back neck border together. Work 1 row sc on front and neck edges only.

No. 2094 *(Continued from Page 32)*

Row 3—Ch 1, turn, 1 sc in first sc, * ch 1, skip 1 sc, 1 sc over ch 1; repeat from *, end 1 sc in last st. Repeat last row 3 times. Fasten off.

Work first 3 rows of border in same way on right front edge, working across end of neck border.

Buttonhole row—Ch 1, turn, work 3 sts, ch 3, skip 3, 1 sc over next ch 1; finish row, repeating buttonhole 6 times, evenly spaced, with last buttonhole about 5 sts from lower edge. On next row, work 1 sc, ch 1, skip 1, 1 sc, on each ch 3. Work 1 more row. Fasten off. Beg. at end of neck border, make border on left front to correspond, omitting buttonholes. Sew ends of border together.

Row 7—Beg. at lower right front corner, work 1 sc in each st on front, around neck and to lower left front corner; working over borders and increasing in corner; continue sc around lower edge, keeping an even edge, slip st in first sc. Fasten off.

FINISHING—Block and finish, see page 47.

No. 2082 *(Continued from Page 26)*

Sizes	36	40	42
Work even until 18 ins. from beg. Bind off at beg. of next 2 rows	10 sts	11 sts	12 sts
Dec. 1 st each side every 2nd row 6 times; every 4th row	9 times	10 times	10 times
every 2nd row	2 times	2 times	3 times
Bind off 3 sts at beg. of next 6 rows. Bind off remaining	30 sts	32 sts	32 sts

BAND—With size 1 needles, cast on 7 sts. K 1 row, increasing 1 st in each st. Work k 1, p 1 ribbing on 14 sts until long enough for left front edge, around neck and to first dec. on right front edge (when slightly stretched). Next row, work 7 sts, turn, work ribbing on these 7 sts for 4 rows for buttonhole slit; break off. Beg. at center of band, work ribbing on last 7 sts for 5 rows. Work ribbing across all sts. Work 5 more buttonholes, evenly spaced, making last buttonhole about 1 in. from lower edge. Bind off, working 2 sts tog. across row.

FINISHING—Block and finish, see page 47, easing in extra length of front at bustline. Block band, stretching it sufficiently to extend around both fronts and neck, with care to have top of first buttonhole at first dec. on right front edge. Sew on band.

No. 2091 *(Continued from Page 24)*

FINISHING—Sew seams, see page 47.

Roll Border—Beg. at lower right front edge, work sc on front edge for 1 in., * ch 2, skip 3 rows for buttonhole *, continue row of sc, keeping an even edge and repeating between *'s every 2½ ins., including previous buttonhole, 5 times more; continue sc around neck and left front edges, rounding off the corners at neck edge.

Row 2—Ch 1, turn, 1 sc in each st, increasing in corners at neck edge to keep them rounded. Break off.

Row 3—wrong side—From same side as last row, work 1 sc in back loop of each st, inc. at corners. Break off.

Row 4—Same as row 3.

Work 1 row sc from right side on lower edge of cardigan and sleeves.

Turn border over onto right side to form a roll. Sew last row to top of first row, being careful to leave buttonholes free. Block, see page 47. Sew buttons to first row of left front border opposite buttonholes, draw yarn through to wrong side and leaving a loop of ¼ in. sew on 2nd button to form link.

....Basic Stitches..



CHAIN STITCH

Chain Stitch (ch)

Make a loop on hook, * wrap and draw yarn through the preceding loop, repeat from * the desired length. Each loop is called one chain st.

★



SINGLE CROCHET

Crocheted Slip Stitch (slip st)

Insert the hook in next st, wrap and draw through both loops on hook.

★



HALF DOUBLE CROCHET

Single Crochet (sc)

Make a chain the length required, turn, insert the hook in 2nd ch from hook and draw yarn through it, wrap, draw yarn through both loops on hook; continue to work in this way in each ch to end of row.

Row 2—Turn the work, ch 1, * insert the hook in top of next st, taking up both loops, wrap, draw yarn through, having 2 loops on the hook, wrap, draw yarn through both loops on hook; repeat from * across row.

★



DOUBLE CROCHET

Half Double Crochet (hdc)

Make a chain the length required, turn, skip 2 ch, * wrap, draw up a loop in next ch, wrap, draw yarn through all 3 loops on hook; repeat from * in each ch to end. A new row is begun with 2 chs after turning.

★



DUPLICATE STITCH

Double Crochet (dc)

Make a chain the length required, turn, wrap, insert the hook in the 3rd ch from hook and draw yarn through, having 3 loops on hook; wrap, draw yarn through 2 loops, again wrap and through 2 loops, for the 2nd st, * wrap, draw yarn through next ch, wrap, through 2 loops and then wrap and through 2 loops more, as before; repeat from * to end of chain. **Row 2**—Turn, ch 2, wrap, insert the hook in the top of the first dc of preceding row, taking up both loops, and work off as in first row.

....Basic Stitches..

To Cast On

Make a loop, leaving a long end and slip loop to a needle; with loose end, make a loop on left thumb; insert needle in this loop and with end attached to ball, knit a st on the needle; tighten loose end with left hand.



TO CAST ON

★

To Knit (k)

Holding the needle containing the sts in the left hand, with the yarn back of the work, insert the right-hand needle into first loop and make a loop on right-hand needle, as for casting on, slip loop from left needle. The loops should be retained on the right-hand needle. Work each st in this way until no loop remains on the left-hand needle. When the row described above is repeated back and forth, any number of times, the work becomes alike on both sides and is called GARTER STITCH.



TO KNIT

★

To Purl (p)

Hold as for plain knitting, but bring the yarn to front of the work. Insert the right-hand needle from right to left through the front of the next st, pass the yarn around the back of the right-hand needle, draw it over the needle and through the loop, backwards, and let the st slip off the left needle, just as in plain knitting. When purling comes after plain knitting in the same row, the yarn must be brought from back to front under the point of the right-hand needle, and it must be brought back again in the same manner before returning to plain knitting.



TO PURL

★

Stockinette Stitch

Cast on desired number of sts on a needle, p 1 row, k 1 row for the required length.



STOCKINETTE STITCH

★

Weaving Stockinette Stitch

Thread a tapestry needle and bring pieces to be joined close together. Draw up yarn in first st on upper piece, inserting needle from wrong side; insert needle from right side in first st on lower piece and bring up through next st from wrong side—draw up yarn; * insert needle from right side in same st as before on upper piece and bring up through next st from wrong side—draw up yarn; insert needle from right side in same st as before on lower piece and bring up through next st—draw up yarn; repeat from * until all sts are joined, and fasten yarn well before breaking off.



WEAVING STOCKINETTE STITCH

..Helpful Hints..

COMPLETE ABBREVIATIONS

k—knit
p—purl
st(s)—stitch(es)
inc.(s.)—increase(s)
dec.(s.)—decrease(s)
in.(s.)—inch(es)
yo—yarn over
tog.—together
beg.—beginning
pat.(s.)—pattern(s)
ch—chain
sc—single crochet
dc—double crochet
hdc—half double crochet
slip, k and pass—slip 1, k 1, pass the slipped st over the knitted st.

CHECK GAUGE

Cast on about 24 sts or multiple of pattern. Work 4 ins. Measure off 2 ins. in center of swatch. Mark with pins. If less sts for 2 ins. than gauge, knitting is too loose; try smaller needles. If more sts than gauge, knitting is too tight, try larger needles.
Example:—For gauge of 8 sts=1 inch, 24 st swatch should be 3 ins. wide.

STANDARD WASHING INSTRUCTIONS FOR WOOL KNIT ARTICLES

Before washing lay article flat on heavy wrapping paper and with pencil draw an outline around article. Then make thick suds with hot water and soap flakes; add cold water until lukewarm (pure wool articles must never be washed or rinsed in water exceeding 100°—comfortable wrist temperature).

Immerse article and gently work suds through it—do not rub or twist. Rinse thoroughly in three lukewarm waters immediately after washing, squeeze gently between hands to remove soap. Keep the article supported in the hands at all times during washing and rinsing. Do not twist or wring.

After final rinsing, gently squeeze out excess moisture between hands. Roll article loosely in turkish towel to remove balance of moisture and unroll at once.
Remove article from towel, then lay on paper diagram and shape to original outline. Allow to dry on paper at room temperature away from heat. Article will dry to original size.

Sweaters and other garments made of WONDERIZED Anti-Shrink Anti-Matting Yarn should not be put on drying forms.

NOTE: Never allow wool knit articles to soak; never boil or use hot water; never use strong soap or soda; never hang to dry.